

**THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:**

1. A billing system for determining transportation charges for
5 packages movable along a conveyor, said billing system comprising:
a reader to read a package identifier associated with said
package, said reader generating a package identification signal and
transmitting the signal to a microprocessor;
a package sizer having a plurality of spaced non-contact
10 optical sensors being positioned on at least an y and a z axis for
measuring a height and a width of a package, and a means for
measuring a length of said package, each optical sensor being
located at a known position and oriented relative to said conveyor so
that packages passing past said sizer are detected by said optical
15 sensors, said sizer determining a size of said package; and
a microprocessor to receive and correlate said package
identification signal and said package size for billing purposes, said
microprocessor including pre-input data on billing charges, whereby
said measured package size can be compared to said pre-input data
20 to determine a transportation charge for said package.
2. A billing system as claimed in claim 1 wherein said means for
measuring a length of said package further includes a plurality of
optical sensors positioned along an x axis for measuring a length of
25 said package.
3. A billing system as claimed in claim 1 or 2 further including a
weigh scale associated with said sizer, said weigh scale sensing a
weight of each of said packages on said sizer and producing a weight
30 signal, wherein said microprocessor receives said weight signal and
correlates the same with said package identification signal and said
package size signal for billing purposes.

-20-

4. A billing system as claimed in claim 2 further including a stop to position said packages relative to said optical sensors for accurate size measurement.
- 5
5. A billing system as claimed in claim 4 wherein said stop is moveable between a package volume sensing position and a package passing position.
- 10
6. A billing system as claimed in claim 2 wherein said microprocessor includes a display to display one or more package parameters.
- 15
7. A billing system as claimed in claim 6 wherein said microprocessor includes a display to display at least a measured package volume and a measured package weight.
- 20
8. A billing system as claimed in claim 1 wherein said optical sensors further comprise a plurality of light detecting phototransistors, which detect whether an object is passing thereover.
- 25
9. A billing system as claimed in claim 8 wherein said light detecting diodes are located behind a transparent shield whereby the packages being sized are remotely measured.
- 30
10. A billing system as claimed in claim 1 or 2 wherein a dimension of a package is measured by determining the distance between the two most spaced apart diodes which detect the presence of said package.
11. A billing system as claimed in claim 1 wherein said means for measuring a length of said package further includes a means to

-21-

measure a speed of said package and a length of time said package takes to pass over said optical sensors, and said microprocessor includes a means for calculating the length of said package based on said speed and time measurements.

5

12. A billing system as claimed in claim 1 wherein said y and z axis sensors define a measurement plane through which said package being measured passes.

10

13. A billing system as claimed in claim 12 wherein said sizer further includes optical signal sources directed at said optical sensors along the y axis.

15

14. A billing system as claimed in claim 13 further including optical input guides to shield said optical sensors from stray light sources.

20

15. A billing system as claimed in claim 13 further including optical signal guides to direct an optical output from said optical signal sources towards said optical sensors.

25

16. A billing system as claimed in claim 11 further including a motor to drive said conveyor to pass said package past said sensors.

17. A billing system as claimed in claim 16 further including a speed sensor to measure the actual speed of said package as it passes said sensors.

30

18. A billing system as claimed in claim 1 wherein said system measures the time a package takes to pass past said sensors.

19. A billing system as claimed in claim 1 further including a light source located above said z axis sensors.

-22-

20. A method of determining transportation charges for packages by using a billing system having non-contact optical sensors, said method comprising the steps of:
- identifying a package by means of a reader;
 - 5 passing the package past sensors located in a y and z axis and measuring a length of said package on an x axis;
 - determining a volume of said package from said sensor readings and said length of said package;
 - measuring a weight of the package;
 - 10 correlating the package identifier with said measured weight and volume of said package in a database;
 - displaying the measured weight and volume; and
 - determining a charge for said package based upon said measured weight and volume upon acceptance of the displayed package parameters.
 - 15
21. A method of determining transportation charges for a package as claimed in claim 20 wherein said method further includes an initialization step, in which all of the non-contact optical sensors are temporarily energized to permit visual verification of system operation.
- 20
22. A method of determining transportation charges for a package as claimed in claim 21 further including the step of checking each optical sensor upon start up and detecting any faults therein.
- 25
23. A method of determining transportation charges for a package as claimed in claim 22 further including the step of displaying an error message upon a fault being detected in an optical sensor.
- 30
24. A method of determining transportation charges for a package as claimed in claim 23 further including the step of identifying a location of said detected fault and displaying the same.